This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

ASSY QTY ASSY QTY

B/O

Part #

-1

-3


UNIT QTY

1 DRIFT

1 SUPPORT

Description

	REVISIONS						
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED		
1		RELEASED FOR PRODUCTION.	7/19/2017	SM	JAG		



Material

4140/4142

4140/4142

B/O INFORMATION OR SPECIFICATIONS

PG.


2


3

DART						
TITLE	PUSHING-OUT TOOL					
RBE105-42123W4 Rev 1						
MAT'L HEAT TREAT FINISH SPEC DRAWN BY: CHECKED:	SM 07/10		DIME .XXX ± .005 .XX ± .01 .X ± .1 1. BREAK AL .015 x 45° 0	ANGLES ±.5° SURFACES = 125/ L SHARP EDGES DR .015R NAL LIMITS APPLY		
OPPS APPR:	AA 07/18		3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009			
QA APPR:	JL 07/19/	2017		USED ON MODEL		
APPROVED:	JAG 07/1	9/2017	EC 145, EC645, BO 105, BK 117			
SCALE	1:1	DATE 7/1	10/2017	SHEET 1 OF 3		

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

	REVISIONS						
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED		







TITLE

PUSHING-OUT TOOL

DWG NO.

RBE105-42123W4-1

UNLESS OTHERWISE SPECIFIED

142
-34
PLATE
B633 TYPE I SC 2
SM 07/10/2017
RJC 07/11/2017
AA 07/18/2017

DIMENSIONS ARE IN INCHES

.XXX ± .005 FRACTIONS ± 1/8

.XX ± .01 ANGLES ± .5°

X ± .1 SURFACES = 125/

1. BREAK ALL SHARP EDGES

.015 x 45° OR .015R

1. BREAK ALL SHARP EDGES
.015 x 45° OR .015R
2. DIMENSIONAL LIMITS APPLY
AFTER PLATING
3. INTERPRET DIM AND TOL PER
ASME Y14.5M-2009

 QA APPR:
 JL 07/19/2017
 USED ON MODEL

 APPROVED:
 JAG 07/19/2017
 EC 145, EC645, BO 105, BK 117


 SCALE
 1:1
 DATE 7/10/2017
 SHEET 2 OF 3


 $\left(-1\right)$

DRIFT

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

	revisions					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED	









TITLE

PUSHING-OUT TOOL

DWG NO.

SCALE

1:1

PRE105 42123W/4 3

DATE 7/10/2017

REV

SHEET 3 OF 3

	RBE105-42123VV4-3				
MAT'L 4140/4	142	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8			
HEAT RC 28-	-34				
FINISH ZINC F	PLATE	.XX ± .01 ANGLES ±.5° .X ± .1 SURFACES = 125/			
SPEC ASTM	ASTM B633 TYPE I SC 2 1. BREAK ALL SHARP EDGES				
DRAWN BY:	SM 07/10/2017	.015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY			
CHECKED:	RJC 07/11/2017	AFTER PLATING			
OPPS APPR:	AA 07/18/2017	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009			
QA APPR:	JL 07/19/2017	USED ON MODEL			
APPROVED:	JAG 07/19/2017	EC 145, EC645, BO 105, BK	117		

SUPPORT